



DuraGrille STANDARD, brick pattern

Α	тт	RA	С	ΤI	VE
V	ı	S	1 1	3 1	L E
S	E	С	U	R	E







When security and visibility are primary considerations, choose our attractive rolling DuraGrille STANDARD security grille. The grille pattern, available in straight or brick, offers an unobstructed view of displays and merchandise. DuraGrille security grilles offer protection against theft and vandalism — all with a contemporary look.



DuraGrille STANDARD, straight pattern

Series MODEL	Material	Grille Construction	Patterns	Guides	Maximum Sizes	Optional Hood
DuraGrille STANDARD	Aluminum	⁵ /16" Aluminum Rods with Interlocking Aluminum Links	Straight or Brick	Aluminum	30' Width 24' Height	Steel or Aluminum
Lesis and the state of the stat						

NOTE Contact factory for special sizes.

WARRANTY DuraGrille security grille doors carry a I-year limited warranty. See your local Raynor Dealer for complete details.

MODEL OPTIONS AND UPGRADES

 Increased security.
6" center-to-center link spacing provides added protection.

2 Anodized finishes.

Upgrade to a bronze or clearanodized finish for a brighter appearance and increased durability.

\bigcirc Curtain hood.


Optional curtain hood has rolled edges and is formed from 24gauge, hot-dipped galvanized steel, or aluminum.

(4) Head plate cover.

Head plate covers are offered for an attractive, finished appearance and help to protect your investment by keeping out dust and grime.














Phone: I-800-4-RAYNOR Fax: I-815-288-7142 www.raynor.com

Every DuraGrille security grille is built for superior performance and includes the features listed below. For additional options, please see the inside pages.

-	
-	
1-	
-	
-	
-	
-	
1-	
-	

Grille.

Offered in a contemporary brick pattern (right) or traditional straight pattern (left), grilles are constructed of 5/16" mill-finished aluminum rods with 9" center-tocenter interlocking links.



Counterbalance system.A torsion-spring-operated system,

enclosed in a structural steel barrel, effectively counterbalances the security grille for a minimum of 15,000 cycles. Higher cycle torsion springs are also available.

Aluminum guides.

Extruded aluminum guides are lined with a replaceable wool pile strip to reduce wear and provide quiet operation.





Bottom bar.

An extruded aluminum bottom bar reinforces the curtain and provides smooth operation.



Locks.

Manually-operated grilles are provided with slide-bolt locks. Other locking options are available.

- APPLICATION GUIDE

	DuraGrille STANDARD	
Cafeteria/Concessions	•	
High Security	÷	
Shopping Mall/Retail	•	
Underground Parking	e	
Best Choice	Good Solution	



Depend On Professional Installation By Your Raynor Dealer

When you select Raynor, you're not just getting a superior commercial door, you're getting professional door installation and service expertise.

Every Raynor door is installed by an experienced Raynor professional. And that means added benefits for you. Because it's done right the first time, your door will deliver performance and reliability from the day it's installed. Your technician will check your door for everything from safety to performance to appearance.

Trust your Raynor door to someone who knows it better than anyone else—your professional Raynor Dealer. We have over 600 authorized dealers serving North America and over 50 countries worldwide.

Raynor also offers a full line of sectional, rolling, fire and traffic doors. See your Raynor Dealer or visit www.raynor.com for more information.









Raynor Worldwide P.O. Box 448, 1101 East River Road, Dixon, IL 61021-0448



Exclusively Distributed By:

This information was as complete and factual as possible at the time it was printed. We do, however, reserve the right to make changes in product specifications and availability without notice. Features and options may be different in countries other than the United States. Product colors have been reproduced as well as possible with present commercial printing processes. For absolute accuracy in color matching, use actual product samples.